


We claim:

1. A compound of Formula (IA)



wherein:

R^1 is an aryl, heteroaryl, or C_5 - C_{15} cycloalkyl group, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R^1 is independently C_1 - C_5 alkyl, C_2 - C_5 alkenyl, C_2 - C_5 alkynyl, C_3 - C_8 cycloalkyl, heterocyclyl, aryl, heteroaryl, C_1 - C_5 alkoxy, C_2 - C_5 alkenyloxy, C_2 - C_5 alkynyloxy, aryloxy, acyl, C_1 - C_5 alkoxycarbonyl, C_1 - C_5 alkanoyloxy, C_1 - C_5 alkanoyl, aroyl, aminocarbonyl, alkylaminocarbonyl, dialkylaminocarbonyl, aminocarbonyloxy, C_1 - C_5 alkylaminocarbonyloxy, C_1 - C_5 dialkylaminocarbonyloxy, C_3 - C_5 cycloalkylaminocarbonyloxy, C_1 - C_5 alkanoylamino, C_1 - C_5 alkoxycarbonylamino, C_1 - C_5 alkylsulfonylamino, aminosulfonyl, C_1 - C_5 alkylaminosulfonyl, C_1 - C_5 dialkylaminosulfonyl, halogen, hydroxy, oxo, carboxy, cyano, trifluoromethyl, trifluoromethoxy, nitro, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C_1 - C_5 alkyl or aryl; or ureido wherein either nitrogen atom is optionally independently substituted with C_1 - C_5 alkyl or C_3 - C_5 cycloalkyl; or C_1 - C_5 alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone,

wherein each substituent group of R^1 is optionally independently substituted with one to four substituent groups selected from aryl or heterocyclyl wherein the heterocycle is optionally independently substituted with hydroxyl, halogen, methyl, or dialkyl amino; C_1 - C_5 alkoxycarbonyl, methyl, methoxy, halogen, hydroxy, oxo, cyano, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C_1 - C_5 alkyl or C_1 - C_3 dialkylamines or aryl; or ureido wherein either nitrogen atom is optionally independently substituted with C_1 - C_5 alkyl; aminosulfonyl, or oxime wherein the oxygen atom is optionally substituted by C_1 - C_5 alkyl or benzyl;

R² and R³ are each independently hydrogen, C₁-C₅ alkyl, or C₅-C₁₅ arylalkyl group, or R² and R³ together with the carbon atom they are commonly attached to form a C₃-C₈ spiro cycloalkyl ring, or

R¹ and R² when taken together are a chromanyl or dihydrobenzofuranyl optionally substituted with C₁-C₅ alkyl, C₂-C₅ alkenyl, C₂-C₅ alkynyl, C₃-C₈ cycloalkyl, heterocyclyl, aryl, heteroaryl, C₁-C₅ alkoxy, C₂-C₅ alkenyloxy, C₂-C₅ alkynyloxy, aryloxy, acyl, C₁-C₅ alkoxycarbonyl, C₁-C₅ alkanoyloxy, aminocarbonyl, alkylaminocarbonyl, dialkylaminocarbonyl, aminocarbonyloxy, C₁-C₅ alkylaminocarbonyloxy, C₁-C₅ dialkylaminocarbonyloxy, C₁-C₅ alkanoylamino, C₁-C₅ alkoxycarbonylamino, C₁-C₅ alkylsulfonylamino, aminosulfonyl, C₁-C₅ alkylaminosulfonyl, C₁-C₅ dialkylaminosulfonyl, halogen, hydroxy, carboxy, oxo, cyano, trifluoromethyl, trifluoromethoxy, trifluoromethylthio, nitro, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C₁-C₅ alkyl; or ureido wherein either nitrogen atom is optionally independently substituted with C₁-C₅ alkyl; or C₁-C₅ alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone;

R⁴ is carbonyl or methylene optionally independently substituted with one to two substituent groups selected from C₁-C₃ alkyl, hydroxy, and halogen;

R⁵ is a pyrrolidine, morpholine, thiomorpholine, piperazine, piperidine, 1*H*-pyridin-4-one, 1*H*-pyridin-2-one, 1*H*-pyridin-4-ylideneamine, 1*H*-quinolin-4-ylideneamine, pyran, tetrahydropyran, 1,4-diazepane, 2,5-diazabicyclo[2.2.1]heptane, 2,3,4,5-tetrahydrobenzo[*b*][1,4]diazepine, dihydroquinoline, tetrahydroquinoline, 5,6,7,8-tetrahydro-1*H*-quinolin-4-one, tetrahydroisoquinoline, decahydroisoquinoline, 2,3-dihydro-1*H*-isoindole, 2,3-dihydro-1*H*-indole, chroman, 1,2,3,4-tetrahydroquinoxaline, 1,2-dihydroindazol-3-one, 3,4-dihydro-2*H*-benzo[1,4]oxazine, 4*H*-benzo[1,4]thiazine, 3,4-dihydro-2*H*-benzo[1,4]thiazine, 1,2-dihydrobenzo[*d*][1,3]oxazin-4-one, 3,4-dihydrobenzo[1,4]oxazin-4-one, 3*H*-quinazolin-4-one, 3,4-dihydro-1*H*-quinoxalin-2-one, 1*H*-cinnolin-4-one, 1*H*-quinazolin-4-one, 1*H*-[1,5]naphthyridin-4-one, 5,6,7,8-tetrahydro-1*H*-[1,5]naphthyridin-4-one, 2,3-dihydro-1*H*-[1,5]naphthyridin-4-one, 1,2-dihydropyrido[3,2-*d*][1,3]oxazin-4-one, pyrrolo[3,4-*c*]pyridine-1,3-dione, 1,2-

dihydropyrrolo[3,4-*c*]pyridin-3-one, or tetrahydro[*b*][1,4]diazepinone, group, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R⁵ is independently C₁-C₅ alkyl, C₂-C₅ alkenyl, C₂-C₅ alkynyl, C₃-C₈ cycloalkyl, heterocyclyl, aryl, heteroaryl, C₁-C₅ alkoxy, C₂-C₅ alkenyloxy, C₂-C₅ alkynyloxy, aryloxy, acyl, C₁-C₅ alkoxycarbonyl, C₁-C₅ alkanoyloxy, aminocarbonyl, alkylaminocarbonyl, dialkylaminocarbonyl, aminocarbonyloxy, C₁-C₅ alkylaminocarbonyloxy, C₁-C₅ dialkylaminocarbonyloxy, C₁-C₅ alkanoylamino, C₁-C₅ alkoxycarbonylamino, C₁-C₅ alkylsulfonylamino, C₁-C₅ alkylaminosulfonyl, C₁-C₅ dialkylaminosulfonyl, halogen, hydroxy, carboxy, oxo, cyano, trifluoromethyl, trifluoromethoxy, trifluoromethylthio, nitro, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C₁-C₅ alkyl; or ureido wherein either nitrogen atom is optionally independently substituted with C₁-C₅ alkyl; or C₁-C₅ alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone,

wherein each substituent group of R⁵ is optionally independently substituted with one to three substituent groups selected from C₁-C₃ alkyl, C₁-C₃ alkoxy, C₁-C₃ alkoxycarbonyl, acyl, aryl, benzyl, heteroaryl, heterocyclyl, halogen, hydroxy, oxo, cyano, amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C₁-C₅ alkyl; or ureido wherein either nitrogen atom is optionally independently substituted with C₁-C₅ alkyl; or trifluoromethyl; and

X is a hydroxy or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C₁-C₅ alkyl,

or a tautomer, prodrug, solvate, or salt thereof.

2. The compound of Formula (IA) according to claim 1, wherein:

R¹ is phenyl, dihydrobenzofuranyl, benzofuranyl, dihydroindolyl, indolyl, benzo[1,3]dioxole, dihydrobenzothienyl, benzothienyl, benzoxazole, benzisoxazole, benzpyrazole, benzimidazole, thienyl, quinoliny, tetrahydroquinolinone,

tetrahydronaphthyridinone, dihydrochromene, pyridinyl, pyrimidinyl, or pyrazinyl, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R^1 is independently C_1 - C_3 alkyl, C_2 - C_3 alkenyl, C_2 - C_3 alkynyl, C_1 - C_3 alkoxy, C_2 - C_3 alkenyloxy, C_1 - C_3 alkanoyl, C_1 - C_3 alkoxy carbonyl, C_1 - C_3 alkanoyloxy, halogen, hydroxy, acyl, oxo, carboxy, cyano, trifluoromethyl, nitro, or C_1 - C_3 alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone,

wherein each substituent group of R^1 is optionally independently substituted with a substituent group selected from methyl, methoxy, halogen, hydroxy, oxo, cyano, or amino;

R^2 and R^3 are each independently hydrogen, C_1 - C_3 alkyl, benzyl, or phenethyl, or R^2 and R^3 together with the carbon atom they are commonly attached to form a C_3 - C_6 spiro cycloalkyl ring; and

R^4 is CH_2 ,

or a tautomer, prodrug, solvate, or salt thereof.

3. The compound of Formula (IA) according to claim 1, wherein:

R^1 is phenyl, pyridyl, dihydrobenzofuranyl, or benzofuranyl, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R^1 is independently methyl, ethyl, methoxy, ethoxy, fluoro, chloro, bromo, hydroxy, trifluoromethyl, acyl, oxo, C_1 - C_5 alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone, or cyano;

R^2 and R^3 are each independently methyl, or R^2 and R^3 together with the carbon atom they are commonly attached to form a spiro cyclopropyl ring; and

R^4 is CH_2 ,

or a tautomer, prodrug, solvate, or salt thereof.

4. The compound of Formula (IA) according to claim 1, wherein:

R¹ is phenyl, dihydrobenzofuranyl, or benzofuranyl, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R¹ is independently C₁-C₃ alkyl, C₂-C₃ alkenyl, C₂-C₃ alkynyl, C₁-C₃ alkoxy, C₂-C₃ alkenyloxy, C₁-C₃ alkanoyl, C₁-C₃ alkoxycarbonyl, C₁-C₃ alkanoyloxy, halogen, hydroxy, carboxy, cyano, trifluoromethyl, nitro, or C₁-C₃ alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone; and

R² and R³ are each independently hydrogen or C₁-C₃ alkyl,

or a tautomer, prodrug, solvate, or salt thereof.

5. A compound selected from:

1-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,6-dimethylpiperazin-1-yl}ethanone;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,6-dimethylpiperazine-1-carbaldehyde;

1-{5-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,5-diazabicyclo[2.2.1]hept-2-yl}ethanone;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxaline-1-carbaldehyde;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-1*H*-quinoxalin-2-one;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazine-2,6-dione;

2-(2,6-Dimethylthiomorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(1,1-Dioxo-1*H*-1 λ^6 -benzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(1,1-Dioxo-2,3-dihydro-1*H*-1 λ^6 -benzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-{5-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3,4,5-tetrahydrobenzo[*b*][1,4]diazepin-1-yl}ethanone;

5-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,3,4,5-tetrahydrobenzo[*b*][1,4]diazepin-2-one;

2-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]isoindole-1,3-dione;

2-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]pyrrolo[3,4-*c*]pyridine-1,3-dione;

2-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,3-dioxo-2,3-dihydro-1*H*-isoindole-5-carbonitrile;

2-(2,3-Dihydrobenzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(4-fluorophenyl)-4-methylpentan-2-ol;

4-(2,3-Dihydrobenzofuran-7-yl)-1,1,1-trifluoro-4-methyl-2-(4-methyl-3,4-dihydro-2*H*-quinoxalin-1-ylmethyl)pentan-2-ol;

1-{4-[4-(5-Bromo-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}ethanone;

4-[4-(5-Fluoro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-1*H*-quinoxalin-2-one;

1-{4-[4-(3-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,6-dimethylpiperazin-1-yl}ethanone;

4-(2,3-Dihydrobenzofuran-7-yl)-2-(2,3-dihydrobenzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-methylpentan-2-ol;

2-(3,4-Dihydro-2*H*-quinoxalin-1-ylmethyl)-1,1,1-trifluoro-4-(4-fluorophenyl)-4-methylpentan-2-ol;

2-(2,6-Dimethylthiomorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(4-fluorophenyl)-4-methylpentan-2-ol;

2-(1,1-Dioxo-2,3-dihydro-1*H*-1 λ ⁶-benzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2,3-dihydrobenzofuran-7-yl)-4-methylpentan-2-ol;

5-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,5-diazabicyclo[2.2.1]heptan-3-one;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-morpholin-4-ylmethylpentan-2-ol;

2-(2,6-Dimethylmorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(2,3-Dihydrobenzo[1,4]oxazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(2,3-Dihydrobenzo[1,4]oxazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2,3-dihydrobenzofuran-7-yl)-4-methylpentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methoxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-2,4-dimethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethylpiperidin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinazolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-cinnolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-isopropyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Cyanophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Carboxamidophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,6-dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-Phenyl-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-Cyclohexyl-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(Thiophen-2-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(Pyridin-2-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(Pyridin-3-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(Pyridin-4-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethylpiperidin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinazolin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-cinnolin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-isopropyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Cyano-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Methyl-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Chloro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Methoxy-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethylpiperidin-4-one;

1-[4-(5-Fluoro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinazolin-4-one;

1-[4-(5-Fluoro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-cinnolin-4-one;

1-[4-(5-Fluoro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(5-Cyano-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-quinolin-4-one;

1-[2,2,2-Trifluoro-1-hydroxy-1-(4-methylchroman-4-ylmethyl)ethyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydrobenzo[*d*][1,3]oxazin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydrobenzo[*d*][1,3]oxazin-4-one;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydrobenzo[1,4]oxazin-2-one;

4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydrobenzo[1,4]oxazin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,4-dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-Benzo[1,3]dioxol-4-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-piperazin-1-ylmethylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-methylpiperazin-1-ylmethyl)pentan-2-ol;

1-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl} ethanone;

2-(3,5-Dimethylpiperazin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(3,4,5-trimethylpiperazin-1-ylmethyl)pentan-2-ol;

2-(3,4-Dihydro-2*H*-quinoxalin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-methyl-3,4-dihydro-2*H*-quinoxalin-1-ylmethyl)pentan-2-ol;

2-[1,4]Diazepan-1-ylmethyl-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-methyl-[1,4]diazepan-1-ylmethyl)pentan-2-ol;

1-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-[1,4]diazepan-1-yl} ethanone;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-[1,4]diazepane-1-carbaldehyde;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-thiomorpholin-4-ylmethylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(1-oxo-1 λ ⁵-thiomorpholin-4-ylmethyl)pentan-2-ol;

2-(1,1-Dioxo-1 λ ⁶-thiomorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(2,3-Dihydrobenzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(1-oxo-2,3-dihydro-1*H*-1 λ ⁴-benzo[1,4]thiazin-4-ylmethyl)pentan-2-ol;

1-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}ethanone;

1-[2-Hydroxy-4-(2-methoxy-5-thiophen-2-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(6-Bromobenzo[1,3]dioxol-4-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(4-hydroxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-hydroxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-methoxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[2-Hydroxy-4-(5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[2-Hydroxy-4-methyl-4-(3-pyridin-3-ylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-morpholin-4-ylmethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-morpholin-4-ylmethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(5-hydroxymethyl-2-methoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

4-Methoxy-3-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzaldehyde;

1-[4-(5-[1,3]Dioxan-2-yl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Furan-3-yl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl)-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinazolin-4-one;

1-[2-Hydroxy-4-(4-methoxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[3,3,3-Trifluoro-2-(6-fluoro-4-methylchroman-4-ylmethyl)-2-hydroxypropyl]-1*H*-quinolin-4-one;

1-(4-{3-[1-(Benzyloxyimino)ethyl]phenyl}-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(3-Cyclopropanecarbonylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-{3-[1-(methoxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-{3-[1-(hydroxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,5-Difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{2-Hydroxy-4-methyl-4-[3-(2-methyl-[1,3]dioxolan-2-yl)phenyl]-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[2-Hydroxy-4-(3-hydroxymethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-[1,3]Dioxan-2-yl)phenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Acetylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[3-(3,5-Dimethylisoxazol-4-yl)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-{2-Hydroxy-4-[3-(1-hydroxyethyl)phenyl]-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

3-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzaldehyde;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-(4-imino-4*H*-quinolin-1-ylmethyl)-4-methylpentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxymethyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxy-2-methyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methoxy-2-methyl-1*H*-pyridin-4-one;

1-[4-(3-Bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-6-hydroxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methoxymethyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-7-hydroxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-7-methoxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-6-methoxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-6-methyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxymethyl-1*H*-quinolin-4-one;

6-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Difluoromethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-Biphenyl-3-yl-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

6-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{2-Hydroxy-4-methyl-4-[3-(2-oxopropoxy)phenyl]-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-isopropoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Ethoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-hydroxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-methoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;

7-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

7-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-methyl-4-phenyl-2-trifluoromethylhexyl)-1*H*-quinolin-4-one;

2-(3,4-Dihydro-2*H*-quinolin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[4-(4-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-ol;

1-[4-(3,4-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-Fluoro-2-(2-hydroxypropoxy)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-{4-[5-Fluoro-2-(2-oxopropoxy)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

7-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-isopropoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Benzyloxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Ethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(5-methanesulfinyl-2,3-dihydrobenzofuran-7-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-methyl-4-(5-methylsulfonyl-2,3-dihydrobenzofuran-7-yl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

7-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidine-4-carboxylic acid amide;

1-[4-(2,3-Dihydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

3-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3*H*-quinazolin-4-one;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1-methyl-3,4-dihydro-1*H*-quinoxalin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-4,6-dimethyl-2-oxo-1,2-dihydropyridine-3-carbonitrile;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-4-methyl-1*H*-quinolin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-nitro-5-trifluoromethyl-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-nitro-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5-nitro-1*H*-pyridin-2-one;

3-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5-trifluoromethyl-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-4-methyl-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-4-methyl-3-nitro-1*H*-pyridin-2-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-4-methyl-5-nitro-1*H*-pyridin-2-one;

2-(3,4-Dihydro-1*H*-isoquinolin-2-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(1,3-Dihydroisoindol-2-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(2,3-Dihydroindol-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,3-dihydroindol-2-one;

1-[4-(3-Dimethylaminomethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-methyl-4-(3-morpholin-4-ylmethylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Diethylaminomethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-{{(2-Dimethylaminoethyl)methylamino}methyl}phenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{2-Hydroxy-4-[3-(3-hydroxypyrrolidin-1-ylmethyl)phenyl]-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(3-Ethylaminomethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-methyl-4-(3-pyrrolidin-1-ylmethylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-methyl-4-(3-piperidin-1-ylmethylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{2-Hydroxy-4-methyl-4-[3-(4-methylpiperazin-1-ylmethyl)phenyl]-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-{4-[3-(3-Dimethylaminopyrrolidin-1-ylmethyl)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-methyl-4-(3-methylaminomethylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}furan-2-ylmethanone;

1-[2-Hydroxy-4-(5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl)-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(5-Chloro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

7-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]-2,3-dihydrobenzofuran-5-sulfonic acid amide;

1-[2-Hydroxy-4-(2-methoxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(3-Acetyl-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Acetyl-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(3-Bromo-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-Chroman-8-yl-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-(4-Chroman-8-yl-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-3-methyl-1*H*-quinolin-4-one;

1-[4-(2-Acetyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methanesulfonylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

4-Fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzenesulfonamide;

4-Fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzamide;

4-Fluoro-*N,N*-dimethyl-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzamide;

1-[4-(5-Fluoro-2-oxazol-2-ylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-oxazol-5-ylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3-oxazol-2-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3-oxazol-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}furan-2-ylmethanone;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}thiophen-2-ylmethanone;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}phenylmethanone;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(4-fluorophenyl)methanone;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(2-fluorophenyl)methanone;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(3-fluorophenyl)methanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}furan-2-ylmethanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}thiophen-2-ylmethanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}phenylmethanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(4-fluorophenyl)methanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(2-fluorophenyl)methanone;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}-(3-fluorophenyl)methanone;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5,6,7,8-tetrahydro-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl)-4-methyl-2-trifluoromethylpentyl]-5,6,7,8-tetrahydro-1*H*-quinolin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5-methyl-5,6,7,8-tetrahydro-1*H*-[1,5]naphthyridin-4-one;

1-[2-Hydroxy-4-(5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl)-4-methyl-2-trifluoromethylpentyl]-5,6,7,8-tetrahydro-1*H*-[1,5]naphthyridin-4-one;

1-[4-(4-Fluoro-3-morpholin-4-ylmethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-morpholin-4-ylmethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-{[Ethyl-(2-methoxyethyl)amino]methyl}phenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

2-[4-(3-Chloro-5-trifluoromethylpyridin-2-yl)piperazin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}furan-2-ylmethanone;

1-(4-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}phenyl)ethanone;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-[4-(4-fluorophenyl)piperazin-1-ylmethyl]-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-phenylpiperazin-1-ylmethyl)pentan-2-ol;

2-[4-(2,4-Difluorophenyl)piperazin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazine-1-carboxylic acid ethyl ester;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl}-(tetrahydrofuran-2-yl)methanone;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazine-1-carboxylic acid benzyl ester;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-pyrimidin-2-ylpiperazin-1-ylmethyl)pentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidine-3-carboxylic acid amide;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-[1,4]diazepane-1-carboxylic acid benzyl ester;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-[4-(5-pyrazin-2-yl-[1,3,4]oxadiazol-2-yl)piperidin-1-ylmethyl]pentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-pyridin-2-ylpiperazin-1-ylmethyl)pentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidine-4-carboxylic acid methyl ester;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-2-one;

1-{1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-yl}-1,3-dihydrobenzoimidazol-2-one;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(octahydroisoquinolin-2-ylmethyl)pentan-2-ol;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl} acetic acid ethyl ester;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl)-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(2-Acetyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(3-Ethoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,3-dimethyl-2,3-dihydro-1*H*-quinolin-4-one;

7-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]-2,3-dihydrobenzofuran-5-sulfonic acid dimethylamide;

1-[4-(4-Bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

4-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzonitrile;

7-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]-2,3-dihydrobenzofuran-5-sulfonic acid dimethylamide;

1-[4-(4-Bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

4-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzonitrile;

3-Methyl-1-[3,3,3-trifluoro-2-(6-fluoro-4-methylchroman-4-ylmethyl)-2-hydroxypropyl]-1*H*-quinolin-4-one;

3-Methyl-1-[3,3,3-trifluoro-2-(6-fluoro-4-methylchroman-4-ylmethyl)-2-hydroxypropyl]-1*H*-[1,5]naphthyridin-4-one;

1-[3,3,3-Trifluoro-2-(6-fluoro-4-methylchroman-4-ylmethyl)-2-hydroxypropyl]-1*H*-[1,5]naphthyridin-4-one;

2-(4-Benzylpiperazin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(4-Benzo[1,3]dioxol-5-ylmethylpiperazin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(2-methylpiperidin-1-ylmethyl)pentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-trifluoromethylpiperidin-1-ylmethyl)pentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-[4-(4-fluorophenyl)piperidin-1-ylmethyl]-4-methylpentan-2-ol;

2-[4-(4-Bromophenyl)piperidin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-methylpiperidin-1-ylmethyl)pentan-2-ol;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-[1,4]diazepane-1-carboxylic acid *tert*-butyl ester;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazine-1-carboxylic acid *tert*-butyl ester;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-[4-(2-methoxyphenyl)piperazin-1-ylmethyl]-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-pyrrolidin-1-ylpiperidin-1-ylmethyl)pentan-2-ol;

2-[1,4']Bipiperidiny-1'-ylmethyl-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-[4-(2-Ethoxyethyl)piperazin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-[4-(2-methoxyethyl)piperazin-1-ylmethyl]-4-methylpentan-2-ol;

2-(4-Benzylpiperidin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidine-3-carboxylic acid diethylamide;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidine-3-carboxylic acid ethyl ester;

1-{1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-yl}-1,3-dihydroindol-2-one;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-phenylpiperidin-1-ylmethyl)pentan-2-ol;

2-(4-Benzylpiperidin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-2-[4-(1*H*-indol-2-yl)piperidin-1-ylmethyl]-4-methylpentan-2-ol;

5-Chloro-1-{1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-yl}-1,3-dihydrobenzoimidazol-2-one;

{1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperidin-4-yl}acetic acid ethyl ester;

2-[4-(2,4-Dimethylphenyl)piperazin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(4-Benzyl-[1,4]diazepan-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazine-1-carbaldehyde;

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methoxycarbonylmethylpiperazine-1-carboxylic acid *tert*-butyl ester;

2-(4-*tert*-Butylpiperazin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(3-Dimethylaminopyrrolidin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-pyrrolidin-1-ylmethylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-piperidin-1-ylmethylpentan-2-ol;

Carbonic acid ethyl ester 4-fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Ethylcarbamic acid 4-fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Ethylcarbamic acid 4-fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Ethylcarbamic acid 2-[3-(3,3-dimethyl-4-oxo-3,4-dihydro-2*H*-quinolin-1-ylmethyl)-4,4,4-trifluoro-3-hydroxy-1,1-dimethylbutyl]-4-fluorophenyl ester;

Methylcarbamic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Carbonic acid 2-[3-(3,5-dimethyl-4-oxo-4*H*-pyridin-1-ylmethyl)-4,4,4-trifluoro-3-hydroxy-1,1-dimethylbutyl]-4-fluorophenyl ester methyl ester;

Methylcarbamic acid 2-[3-(3,5-dimethyl-4-oxo-4*H*-pyridin-1-ylmethyl)-4,4,4-trifluoro-3-hydroxy-1,1-dimethylbutyl]-4-fluorophenyl ester;

Cyclopropylcarbamic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

1-Cyclopropyl-3-{2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl} urea;

1-Cyclopropyl-3-{2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl} urea;

1-Methyl-3-{2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl} urea;

1-{2-[3-(3,3-Dimethyl-4-oxo-3,4-dihydro-2*H*-quinolin-1-ylmethyl)-4,4,4-trifluoro-3-hydroxy-1,1-dimethylbutyl]phenyl}-3-methylurea;

1-(2,2,3,3-Tetramethylcyclopropyl)-3-{2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl} urea;

(2,2,3,3-Tetramethylcyclopropyl)carbamic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Dimethylcarbamic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Dimethylcarbamic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(3-methyl-4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Pyrrolidine-1-carboxylic acid 2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester;

Pyrrolidine-1-carboxylic acid 2-[3-(3,3-dimethyl-4-oxo-3,4-dihydro-2*H*-quinolin-1-ylmethyl)-4,4,4-trifluoro-3-hydroxy-1,1-dimethylbutyl]phenyl ester;

1-[2-Hydroxy-4-(2-methoxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-[1,3]Dioxan-2-yl-4-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-pyrimidin-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-[1,3]Dioxan-2-yl-3-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-pyrimidin-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

Carbonic acid 4-fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester methyl ester;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-[1,5]naphthyridin-4-one; and

1-(4-Benzo[1,3]dioxol-4-yl-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-3-methyl-1*H*-[1,5]naphthyridin-4-one,

or a tautomer, prodrug, solvate, or salt thereof.

6. A compound according to claim 5, the compound selected from:

Preferred compounds of Formula (IA) include the following:

4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,6-dimethylpiperazine-1-carbaldehyde;

2-(1,1-Dioxo-2,3-dihydro-1*H*-1λ⁶-benzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(2,6-Dimethylmorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(2,3-Dihydrobenzo[1,4]oxazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethylpiperidin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-cinnolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-Phenyl-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Methyl-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Chloro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-2,4-dimethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(1-oxo-2,3-dihydro-1*H*-1λ⁴-benzo[1,4]thiazin-4-ylmethyl)pentan-2-ol;

1-[2-Hydroxy-4-(2-methoxy-5-thiophen-2-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(6-Bromobenzo[1,3]dioxol-4-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(4-hydroxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-hydroxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-methoxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[2-Hydroxy-4-(5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[2-Hydroxy-4-methyl-4-(3-pyridin-3-ylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-morpholin-4-ylmethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-morpholin-4-ylmethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(5-hydroxymethyl-2-methoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

4-Methoxy-3-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzaldehyde;

1-[4-(5-[1,3]Dioxan-2-yl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Furan-3-yl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinazolin-4-one;

1-[2-Hydroxy-4-(4-methoxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[3,3,3-Trifluoro-2-(6-fluoro-4-methylchroman-4-ylmethyl)-2-hydroxypropyl]-1*H*-quinolin-4-one;

1-(4-{3-[1-(Benzyloxyimino)ethyl]phenyl}-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(3-Cyclopropanecarbonylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-{3-[1-(methoxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-{3-[1-(hydroxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,5-Difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{2-Hydroxy-4-methyl-4-[3-(2-methyl-[1,3]dioxolan-2-yl)phenyl]-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[2-Hydroxy-4-(3-hydroxymethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-[1,3]Dioxan-2-yl)phenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Acetylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[3-(3,5-Dimethylisoxazol-4-yl)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-{2-Hydroxy-4-[3-(1-hydroxyethyl)phenyl]-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

3-[4,4,4-Trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzaldehyde;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxymethyl-1*H*-quinolin-4-one;

1-[4-(3-Bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-7-hydroxy-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-6-methyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxymethyl-1*H*-quinolin-4-one;

6-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Difluoromethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-Biphenyl-3-yl-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

6-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{2-Hydroxy-4-methyl-4-[3-(2-oxopropoxy)phenyl]-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-isopropoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Ethoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-hydroxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-methoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;

7-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

7-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-methyl-4-phenyl-2-trifluoromethylhexyl)-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,4-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-Fluoro-2-(2-oxopropoxy)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

7-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-isopropoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Benzoyloxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Ethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(5-methanesulfinyl-2,3-dihydrobenzofuran-7-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-methyl-4-(5-methylsulfonyl-2,3-dihydrobenzofuran-7-yl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

7-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-nitro-5-trifluoromethyl-1*H*-pyridin-2-one;

3-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5-trifluoromethyl-1*H*-pyridin-2-one;

2-(2,3-Dihydroindol-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[2-Hydroxy-4-methyl-4-(3-morpholin-4-ylmethylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

{4-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl} furan-2-ylmethanone;

1-[2-Hydroxy-4-(5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl)-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

2-[4-(3-Chloro-5-trifluoromethylpyridin-2-yl)piperazin-1-ylmethyl]-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]piperazin-1-yl} furan-2-ylmethanone;

1-[2-Hydroxy-4-(2-methoxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-[1,3]Dioxan-2-yl-4-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-pyrimidin-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,4-dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluoro-4-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-Benzo[1,3]dioxol-4-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;

2-(3,4-Dihydro-2*H*-quinoxalin-1-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(4-methyl-3,4-dihydro-2*H*-quinoxalin-1-ylmethyl)pentan-2-ol;

2-(2,3-Dihydrobenzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-{4-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,4-dihydro-2*H*-quinoxalin-1-yl}ethanone;

1-[2-Hydroxy-4-(2-hydroxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-pyrimidin-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one; and

Carbonic acid 4-fluoro-2-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]phenyl ester methyl ester,

or a tautomer, prodrug, solvate, or salt thereof.

7. A compound according to claim 6, the compound selected from:

2-(2,6-Dimethylmorpholin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethylpiperidin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2,3-dihydro-1*H*-quinolin-4-one;

1-[4-(4-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-Phenyl-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Methyl-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Chloro-2,3-dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-2,4-dimethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-thiophen-2-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(6-Bromobenzo[1,3]dioxol-4-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(4-hydroxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-hydroxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[5-(3,5-Dimethylisoxazol-4-yl)-2-methoxyphenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-methyl-4-(3-pyridin-3-ylphenyl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

4-Methoxy-3-[4,4,4-trifluoro-3-hydroxy-1,1-dimethyl-3-(4-oxo-4*H*-quinolin-1-ylmethyl)butyl]benzaldehyde;

1-[2-Hydroxy-4-(2-methoxy-5-thiophen-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Furan-3-yl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(4-methoxybiphenyl-3-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[3,3,3-Trifluoro-2-(6-fluoro-4-methylchroman-4-ylmethyl)-2-hydroxypropyl]-1*H*-quinolin-4-one;

1-(4-{3-[1-(Benzyloxyimino)ethyl]phenyl}-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Acetyl-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-{3-[1-(methoxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-{3-[1-(hydroxyimino)ethyl]phenyl}-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[4-(5-Bromo-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,5-Difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{2-Hydroxy-4-methyl-4-[3-(2-methyl-[1,3]dioxolan-2-yl)phenyl]-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-[1,5]naphthyridin-4-one;

1-[4-(3-[1,3]Dioxan-2-ylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-{4-[3-(3,5-Dimethylisoxazol-4-yl)phenyl]-2-hydroxy-4-methyl-2-trifluoromethylpentyl}-1*H*-quinolin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-hydroxymethyl-1*H*-quinolin-4-one;

1-[4-(3-Bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-6-methyl-1*H*-quinolin-4-one;

6-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Difluoromethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(4-Biphenyl-3-yl-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-isopropoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-Ethoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-methylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2,5-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(3-methoxyphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;

7-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3,5-dimethyl-1*H*-pyridin-4-one;

7-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-(2-Hydroxy-4-methyl-4-phenyl-2-trifluoromethylhexyl)-1*H*-quinolin-4-one;

1-[4-(4-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3,4-Dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

7-Chloro-1-[4-(5-fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-isopropoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(2-Ethoxy-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

8-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

6-Fluoro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-methyl-4-(5-methylsulfonyl-2,3-dihydrobenzofuran-7-yl)-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

7-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

3-Chloro-1-[4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-5-trifluoromethyl-1*H*-pyridin-2-one;

1-[2-Hydroxy-4-(5-methanesulfonyl-2,3-dihydrobenzofuran-7-yl)-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[4-(3-[1,3]Dioxan-2-yl-4-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

2-(1,1-Dioxo-2,3-dihydro-1H-1λ⁶-benzo[1,4]thiazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

2-(2,3-Dihydrobenzo[1,4]oxazin-4-ylmethyl)-1,1,1-trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methylpentan-2-ol;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;

1-[4-(5-Fluoro-2-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-[1,5]naphthyridin-4-one;

1-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;

1-[4-(2,4-dimethylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;

1-[4-(4-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;

1-[4-(3-Fluoro-4-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1H-quinolin-4-one;

1-(4-Benzo[1,3]dioxol-4-yl-2-hydroxy-4-methyl-2-trifluoromethylpentyl)-1H-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-1,2-dihydroindazol-3-one;

1,1,1-Trifluoro-4-(5-fluoro-2-methoxyphenyl)-4-methyl-2-(1-oxo-2,3-dihydro-1H-1λ⁴-benzo[1,4]thiazin-4-ylmethyl)pentan-2-ol;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-2-hydroxymethyl-3,5-dimethyl-1*H*-pyridin-4-one;

1-[4-(2,3-Dihydrobenzofuran-7-yl)-2-hydroxy-4-methyl-2-trifluoromethylpentyl]-3-methyl-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-methoxy-3,5-dimethylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one;

1-[2-Hydroxy-4-(2-hydroxy-5-pyridin-3-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one; and

1-[2-Hydroxy-4-(2-hydroxy-5-pyrimidin-5-ylphenyl)-4-methyl-2-trifluoromethylpentyl]-1*H*-quinolin-4-one,

or a tautomer, prodrug, solvate, or salt thereof.

8. A pharmaceutical composition comprising an effective amount of a compound according to one of claims 1 to 7, or a tautomer, prodrug, solvate, or salt thereof, and a pharmaceutically acceptable excipient or carrier.

9. A method of modulating the glucocorticoid receptor function in a patient, the method comprising administering to the patient an effective amount of a pharmaceutically acceptable compound according to one of claims 1 to 7, or a tautomer, prodrug, solvate, or salt thereof.

10. A method of treating a disease-state or condition mediated by the glucocorticoid receptor function in a patient in need of such treatment, the method comprising administering to the patient an effective amount of a pharmaceutically acceptable compound according to one of claims 1 to 7, or a tautomer, prodrug, solvate, or salt thereof.

11. A method of treating a disease-state or condition selected from: type II diabetes, obesity, cardiovascular diseases, hypertension, arteriosclerosis, neurological diseases, adrenal and pituitary tumors, and glaucoma, in a patient in need of such treatment, the

method comprising administering to the patient an effective amount of a pharmaceutically acceptable compound according to one of claims 1 to 7, or a tautomer, prodrug, solvate, or salt thereof.


12. A method of treating a disease characterized by inflammatory, allergic, or proliferative processes, in a patient in need of such treatment, the method comprising administering to the patient an effective amount of a pharmaceutically acceptable compound according to one of claims 1 to 7, or a tautomer, prodrug, solvate, or salt thereof.

13. The method according to claim 12, wherein the disease is selected from: type I diabetes (insulin-dependent diabetes), osteoarthritis, Guillain-Barre syndrome, restenosis following percutaneous transluminal coronary angioplasty, Alzheimer disease, acute and chronic pain, atherosclerosis, reperfusion injury, bone resorption diseases, congestive heart failure, myocardial infarction, thermal injury, multiple organ injury secondary to trauma, acute purulent meningitis, necrotizing enterocolitis and syndromes associated with hemodialysis, leukopheresis, and granulocyte transfusion.

14. The method according to claim 12, wherein the disease is selected from: (i) lung diseases; (ii) rheumatic diseases/autoimmune diseases/joint diseases; (iii) allergic diseases; (iv) vasculitis diseases; (v) dermatological diseases; (vi) renal diseases; (vii) hepatic diseases; (viii) gastrointestinal diseases; (ix) proctological diseases; (x) eye diseases; (xi) diseases of the ear, nose, and throat (ENT) area; (xii) neurological diseases; (xiii) blood diseases; (xiv) tumor diseases; (xv) endocrine diseases; (xvi) organ and tissue transplantations and graft-versus-host diseases; (xvii) severe states of shock; (xviii) substitution therapy; and (xix) pain of inflammatory genesis.

15. A method of treating a disease-state or condition mediated by the glucocorticoid receptor function in a patient in need of such treatment, the method comprising sequentially or simultaneously administering to the patient: (a) an effective amount of a pharmaceutically acceptable compound according to one of claims 1 to 7 or a tautomer, prodrug, solvate, or salt thereof; and (b) a pharmaceutically acceptable glucocorticoid.

16. A compound of Formula (IB)



wherein:

R^1 is an aryl, heteroaryl, or C_5 - C_{15} cycloalkyl group, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R^1 is independently C_1 - C_5 alkyl, C_2 - C_5 alkenyl, C_2 - C_5 alkynyl, C_3 - C_8 cycloalkyl, heterocyclyl, aryl, heteroaryl, C_1 - C_5 alkoxy, C_2 - C_5 alkenyloxy, C_2 - C_5 alkynyloxy, aryloxy, acyl, C_1 - C_5 alkoxycarbonyl, C_1 - C_5 alkanoyloxy, C_1 - C_5 alkanoyl, aroyl, aminocarbonyl, alkylaminocarbonyl, dialkylaminocarbonyl, aminocarbonyloxy, C_1 - C_5 alkylaminocarbonyloxy, C_1 - C_5 dialkylaminocarbonyloxy, C_1 - C_5 alkanoylamino, C_1 - C_5 alkoxycarbonylamino, C_1 - C_5 alkylsulfonylamino, aminosulfonyl, C_1 - C_5 alkylaminosulfonyl, C_1 - C_5 dialkylaminosulfonyl, halogen, hydroxy, oxo, carboxy, cyano, trifluoromethyl, trifluoromethoxy, nitro, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C_1 - C_5 alkyl or aryl; or ureido wherein either nitrogen atom is optionally independently substituted with C_1 - C_5 alkyl; or C_1 - C_5 alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone,

wherein each substituent group of R^1 is optionally independently substituted with one to three substituent groups selected from aryl or heterocyclyl wherein the heterocycle is optionally independently substituted with hydroxyl, halogen, methyl, dialkyl amino; methyl, methoxy, halogen, hydroxy, oxo, cyano, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C_1 - C_5 alkyl or C_1 - C_3 dialkylamines or aryl; or ureido wherein either nitrogen atom is optionally independently substituted with C_1 - C_5 alkyl; aminosulfonyl, oxime wherein the oxygen atom is optionally substituted by C_1 - C_5 alkyl or benzyl.

R² and R³ are each independently hydrogen, C₁-C₅ alkyl, or C₅-C₁₅ arylalkyl group, or R² and R³ together with the carbon atom they are commonly attached to form a C₃-C₈ spiro cycloalkyl ring, or

R¹ and R² when taken together are a chromanyl or dihydrobenzofuranyl optionally substituted with C₁-C₅ alkyl, C₂-C₅ alkenyl, C₂-C₅ alkynyl, C₃-C₈ cycloalkyl, heterocyclyl, aryl, heteroaryl, C₁-C₅ alkoxy, C₂-C₅ alkenyloxy, C₂-C₅ alkynyloxy, aryloxy, acyl, C₁-C₅ alkoxycarbonyl, C₁-C₅ alkanoyloxy, aminocarbonyl, alkylaminocarbonyl, dialkylaminocarbonyl, aminocarbonyloxy, C₁-C₅ alkylaminocarbonyloxy, C₁-C₅ dialkylaminocarbonyloxy, C₁-C₅ alkanoylamino, C₁-C₅ alkoxycarbonylamino, C₁-C₅ alkylsulfonylamino, aminosulfonyl, C₁-C₅ alkylaminosulfonyl, C₁-C₅ dialkylaminosulfonyl, halogen, hydroxy, carboxy, oxo, cyano, trifluoromethyl, trifluoromethoxy, trifluoromethylthio, nitro, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C₁-C₅ alkyl; or ureido wherein either nitrogen atom is optionally independently substituted with C₁-C₅ alkyl; or C₁-C₅ alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone;

R⁴ is carbonyl or methylene optionally independently substituted with one to two substituent groups selected from C₁-C₃ alkyl, hydroxy, and halogen;

R⁵ is a pyrrolidine, morpholine, thiomorpholine, piperazine, piperidine, 1*H*-pyridin-4-one, 1*H*-pyridin-2-one, 1*H*-pyridin-4-ylideneamine, 1*H*-quinolin-4-ylideneamine, pyran, tetrahydropyran, 1,4-diazepane, 2,5-diazabicyclo[2.2.1]heptane, 2,3,4,5-tetrahydrobenzo[*b*][1,4]diazepine, dihydroquinoline, tetrahydroquinoline, 5,6,7,8-tetrahydro-1*H*-quinolin-4-one, tetrahydroisoquinoline, decahydroisoquinoline, 2,3-dihydro-1*H*-isoindole, 2,3-dihydro-1*H*-indole, chroman, 1,2,3,4-tetrahydroquinoxaline, 1,2-dihydroindazol-3-one, 3,4-dihydro-2*H*-benzo[1,4]oxazine, 4*H*-benzo[1,4]thiazine, 3,4-dihydro-2*H*-benzo[1,4]thiazine, 1,2-dihydrobenzo[*d*][1,3]oxazin-4-one, 3,4-dihydrobenzo[1,4]oxazin-4-one, 3*H*-quinazolin-4-one, 3,4-dihydro-1*H*-quinoxalin-2-one, 1*H*-cinnolin-4-one, 1*H*-quinazolin-4-one, 1*H*-[1,5]naphthyridin-4-one, 5,6,7,8-tetrahydro-1*H*-[1,5]naphthyridin-4-one, 2,3-dihydro-1*H*-[1,5]naphthyridin-4-one, 1,2-dihydropyrido[3,2-*d*][1,3]oxazin-4-one, pyrrolo[3,4-*c*]pyridine-1,3-dione, 1,2-

dihydropyrrolo[3,4-*c*]pyridin-3-one, or tetrahydro[*b*][1,4]diazepinone, group, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R⁵ is independently C₁-C₅ alkyl, C₂-C₅ alkenyl, C₂-C₅ alkynyl, C₃-C₈ cycloalkyl, heterocyclyl, aryl, heteroaryl, C₁-C₅ alkoxy, C₂-C₅ alkenyloxy, C₂-C₅ alkynyloxy, aryloxy, acyl, C₁-C₅ alkoxycarbonyl, C₁-C₅ alkanoyloxy, aminocarbonyl, alkylaminocarbonyl, dialkylaminocarbonyl, aminocarbonyloxy, C₁-C₅ alkylaminocarbonyloxy, C₁-C₅ dialkylaminocarbonyloxy, C₁-C₅ alkanoylamino, C₁-C₅ alkoxycarbonylamino, C₁-C₅ alkylsulfonylamino, C₁-C₅ alkylaminosulfonyl, C₁-C₅ dialkylaminosulfonyl, halogen, hydroxy, carboxy, oxo, cyano, trifluoromethyl, trifluoromethoxy, trifluoromethylthio, nitro, or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C₁-C₅ alkyl; or ureido wherein either nitrogen atom is optionally independently substituted with C₁-C₅ alkyl; or C₁-C₅ alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone,

wherein each substituent group of R⁵ is optionally independently substituted with one to three substituent groups selected from C₁-C₃ alkyl, C₁-C₃ alkoxy, C₁-C₃ alkoxy carbonyl, acyl, benzyl, heteroaryl, heterocyclyl, halogen, hydroxy, oxo, cyano, amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C₁-C₅ alkyl; or ureido wherein either nitrogen atom is optionally independently substituted with C₁-C₅ alkyl, or trifluoromethyl; and

R⁶ is hydrogen, C₁-C₈ alkyl, C₂-C₈ alkenyl, C₂-C₈ alkynyl, carbocycle, heterocyclyl, aryl, heteroaryl, carbocycle-C₁-C₈ alkyl, carboxy, alkoxycarbonyl, aryl-C₁-C₈ alkyl, aryl-C₁-C₈ haloalkyl, heterocyclyl-C₁-C₈ alkyl, heteroaryl-C₁-C₈ alkyl, carbocycle-C₂-C₈ alkenyl, aryl-C₂-C₈ alkenyl, heterocyclyl-C₂-C₈ alkenyl, or heteroaryl-C₂-C₈ alkenyl, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R⁶ is independently C₁-C₅ alkyl, C₂-C₅ alkenyl, C₂-C₅ alkynyl, C₃-C₈ cycloalkyl, phenyl, C₁-C₅ alkoxy, phenoxy, C₁-C₅ alkanoyl, aroyl, C₁-C₅ alkoxycarbonyl, C₁-C₅ alkanoyloxy, aminocarbonyloxy, C₁-C₅ alkylaminocarbonyloxy, C₁-C₅ dialkylaminocarbonyloxy, aminocarbonyl, C₁-C₅

alkylaminocarbonyl, C₁-C₅ dialkylaminocarbonyl, C₁-C₅ alkanoylamino, C₁-C₅ alkoxycarbonylamino, C₁-C₅ alkylsulfonylamino, C₁-C₅ alkylaminosulfonyl, C₁-C₅ dialkylaminosulfonyl, halogen, hydroxy, carboxy, cyano, oxo, trifluoromethyl, nitro, amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C₁-C₅ alkyl; or ureido wherein either nitrogen atom is optionally independently substituted with C₁-C₅ alkyl; or C₁-C₅ alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone,

wherein R⁶ cannot be trifluoromethyl, and

X is a hydroxy or amino wherein the nitrogen atom is optionally independently mono- or di-substituted by C₁-C₅ alkyl,

or a tautomer, prodrug, solvate, or salt thereof.

17. The compound of Formula (IB) according to claim 16, wherein:

R¹ is phenyl, dihydrobenzofuranyl, benzofuranyl, dihydroindolyl, indolyl, benzo[1,3]dioxole, dihydrobenzothienyl, benzothienyl, benzoxazole, benzisoxazole, benzpyrazole, benzimidazole, thienyl, quinolynyl, tetrahydroquinolinone, tetrahydronaphthyridinone, dihydrochromene, pyridinyl, pyrimidinyl, or pyrazinyl, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R¹ is independently C₁-C₃ alkyl, C₂-C₃ alkenyl, C₂-C₃ alkynyl, C₁-C₃ alkoxy, C₂-C₃ alkenyloxy, C₁-C₃ alkanoyl, C₁-C₃ alkoxycarbonyl, C₁-C₃ alkanoyloxy, halogen, hydroxy, acyl, oxo, carboxy, cyano, trifluoromethyl, nitro, or C₁-C₃ alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone,

wherein each substituent group of R¹ is optionally independently substituted with a substituent group selected from methyl, methoxy, halogen, hydroxy, oxo, cyano, or amino;

R² and R³ are each independently hydrogen, C₁-C₃ alkyl, benzyl, or phenethyl, or R² and R³ together with the carbon atom they are commonly attached to form a C₃-C₆ spiro cycloalkyl ring;

R⁴ is CH₂; and

R⁶ is C₁-C₅ alkyl, C₂-C₅ alkenyl, C₃-C₆ cycloalkyl, phenyl, C₃-C₆ cycloalkyl-C₁-C₃ alkyl, phenyl-C₁-C₃ alkyl, phenyl-C₁-C₃ haloalkyl, C₃-C₆ cycloalkyl-C₂-C₃ alkenyl, phenyl-C₂-C₃ alkenyl, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R⁶ is independently C₁-C₃ alkyl, C₂-C₃ alkenyl, C₂-C₃ alkynyl, C₁-C₃ alkoxy, aminocarbonyl, C₁-C₃ alkylaminocarbonyl, C₁-C₃ dialkylaminocarbonyl, halogen, hydroxy, oxo, carboxy, cyano, trifluoromethyl, nitro, or C₁-C₃ alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone,

wherein R⁶ cannot be trifluoromethyl,

or a tautomer, prodrug, solvate, or salt thereof.

18. The compound of Formula (IB) according to claim 16, wherein:

R¹ is phenyl, pyridyl, dihydrobenzofuranyl, or benzofuranyl, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R¹ is independently methyl, ethyl, methoxy, ethoxy, fluoro, chloro, bromo, hydroxy, trifluoromethyl, acyl, oxo, C₁-C₅ alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone, or cyano;

R² and R³ are each independently methyl, or R² and R³ together with the carbon atom they are commonly attached to form a spiro cyclopropyl ring; and

R⁴ is CH₂,

or a tautomer, prodrug, solvate, or salt thereof.

19. The compound of Formula (IB) according to claim 16, wherein:

R¹ is phenyl, dihydrobenzofuranyl, or benzofuranyl, each optionally independently substituted with one to three substituent groups,

wherein each substituent group of R¹ is independently C₁-C₃ alkyl, C₂-C₃ alkenyl, C₂-C₃ alkynyl, C₁-C₃ alkoxy, C₂-C₃ alkenyloxy, C₁-C₃ alkanoyl, C₁-C₃ alkoxycarbonyl, C₁-C₃ alkanoyloxy, halogen, hydroxy, carboxy, cyano, trifluoromethyl, nitro, or C₁-C₃ alkylthio wherein the sulfur atom is optionally oxidized to a sulfoxide or sulfone; and

R² and R³ are each independently hydrogen or C₁-C₃ alkyl,

or a tautomer, prodrug, solvate, or salt thereof.

20. A compound selected from:

1-[2-Cyclopropyl-4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methylpentyl]-1*H*-quinolin-4-one;

1-[2-Difluoromethyl-4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-4-methylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-2-isopropyl-4-methylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-fluoromethyl-2-hydroxy-4-methylpentyl]-1*H*-quinolin-4-one;

1-[2-Cyclobutyl-4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methylpentyl]-1*H*-quinolin-4-one;

1-[4-(5-Fluoro-2-methoxyphenyl)-2-hydroxy-2,4-dimethylpentyl]-1*H*-quinolin-4-one;
and

1-[2-Ethyl-4-(5-fluoro-2-methoxyphenyl)-2-hydroxy-4-methylpentyl]-1*H*-quinolin-4-one,

or a tautomer, prodrug, solvate, or salt thereof.

21. A pharmaceutical composition comprising an effective amount of a compound according to one of claims 16 to 20, or a tautomer, prodrug, solvate, or salt thereof, and a pharmaceutically acceptable excipient or carrier.

22. A method of modulating the glucocorticoid receptor function in a patient, the method comprising administering to the patient an effective amount of a pharmaceutically acceptable compound according to one of claims 16 to 20, or a tautomer, prodrug, solvate, or salt thereof.

23. A method of treating a disease-state or condition mediated by the glucocorticoid receptor function in a patient in need of such treatment, the method comprising administering to the patient an effective amount of a pharmaceutically acceptable compound according to one of claims 16 to 20, or a tautomer, prodrug, solvate, or salt thereof.

24. A method of treating a disease-state or condition selected from: type II diabetes, obesity, cardiovascular diseases, hypertension, arteriosclerosis, neurological diseases, adrenal and pituitary tumors, and glaucoma, in a patient in need of such treatment, the method comprising administering to the patient an effective amount of a pharmaceutically acceptable compound according to one of claims 16 to 20, or a tautomer, prodrug, solvate, or salt thereof.

25. A method of treating a disease characterized by inflammatory, allergic, or proliferative processes, in a patient in need of such treatment, the method comprising administering to the patient an effective amount of a pharmaceutically acceptable

compound according to one of claims 16 to 20, or a tautomer, prodrug, solvate, or salt thereof.

26. The method according to claim 25, wherein the disease is selected from: type I diabetes (insulin-dependent diabetes), osteoarthritis, Guillain-Barre syndrome, restenosis following percutaneous transluminal coronary angioplasty, Alzheimer disease, acute and chronic pain, atherosclerosis, reperfusion injury, bone resorption diseases, congestive heart failure, myocardial infarction, thermal injury, multiple organ injury secondary to trauma, acute purulent meningitis, necrotizing enterocolitis and syndromes associated with hemodialysis, leukopheresis, and granulocyte transfusion.

27. The method according to claim 25, wherein the disease is selected from: (i) lung diseases; (ii) rheumatic diseases/autoimmune diseases/joint diseases; (iii) allergic diseases; (iv) vasculitis diseases; (v) dermatological diseases; (vi) renal diseases; (vii) hepatic diseases; (viii) gastrointestinal diseases; (ix) proctological diseases; (x) eye diseases; (xi) diseases of the ear, nose, and throat (ENT) area; (xii) neurological diseases; (xiii) blood diseases; (xiv) tumor diseases; (xv) endocrine diseases; (xvi) organ and tissue transplantations and graft-versus-host diseases; (xvii) severe states of shock; (xviii) substitution therapy; and (xix) pain of inflammatory genesis.

28. A method of treating a disease-state or condition mediated by the glucocorticoid receptor function in a patient in need of such treatment, the method comprising sequentially or simultaneously administering to the patient: (a) an effective amount of a pharmaceutically acceptable compound according to one of claims 16 to 20 or a tautomer, prodrug, solvate, or salt thereof; and (b) a pharmaceutically acceptable glucocorticoid.